


NYARA

CERAMICA

GLOSSY

ENDLESS

600X1200MM




GLOSSY

ENDLESS

600 X 1200 MM





RENDOM - 4

APEN BEIGE

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

APEN BROWN

GLOSSY SURFACE _____ /600X1200MM



APEN SAND



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

ARISTA SILVER

GLOSSY SURFACE



/600X1200MM



RENDOM - 4

ARREZO BIANCO

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

ATHENS GREY

GLOSSY SURFACE

————— /600X1200MM



RENDOM - 4

BAYONA NATURAL

GLOSSY SURFACE

 /600X1200MM



RENDOM - 4

BOSCO GREY

GLOSSY SURFACE ————— /600X1200MM



RENDOM - 4

BOSCO MASHRUM

GLOSSY SURFACE

 /600X1200MM



RENDOM - 4

BOTTOCHINO CLASSICO


GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

BOTTOCHINO DESERT

GLOSSY SURFACE ————— /600X1200MM



RENDOM - 4

BOTTOCHINO SWEET BEIGE

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

BOTTOCHINO SWEET GREY


GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

BRECCIA NATURAL

GLOSSY SURFACE _____ /600X1200MM




RENDOM - 4


BRECCIA SIMLESS

GLOSSY SURFACE

_____ /600X1200MM



CARRARA WHITE



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



RANDOM - 4

CASTLE GREY

GLOSSY SURFACE

————— /600X1200MM



CLASSIC BIEGE



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

COCADA DREAM BEIGE

GLOSSY SURFACE ————— /600X1200MM



RENDOM - 4

COCADA DREAM LIGHT

GLOSSY SURFACE ————— /600X1200MM



RENDOM - 4

COCADA DREAM

GLOSSY SURFACE _____ /600X1200MM



COREL BEIGE



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



CREMA MARFIL



RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM




RENDOM - 4

DYNA IMPERIAL

GLOSSY SURFACE

————— /600X1200MM



RENDOM - 4

DYNA ROYAL

GLOSSY SURFACE ————— /600X1200MM



EROS BIANCO



RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM



EROS CREMA



RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM



FLORENCE GREY



RENDOM - 4

GLOSSY SURFACE

 /600X1200MM



FLORENCE LIGHT



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



FOSSIL BEIGE



RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM



FOSSIL GREY



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



FRENCH CHIFFON



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM




FRENCH CREMA



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



GEM GREY



RENDOM - 4


GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

GRIGIO BLISS

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

INVISIBLE GREY

GLOSSY SURFACE _____ /600X1200MM



IRISH



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



LASA BIANCO



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

LIMER GREY

GLOSSY SURFACE _____ /600X1200MM



OMANI BEIGE



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

OMANI GRIS

GLOSSY SURFACE _____ /600X1200MM



PEAR BEIGE



RENDOM - 4

GLOSSY SURFACE

 /600X1200MM



PERLATO BEIGE



RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM



RENDOM - 4

PERLATO ROYAL

GLOSSY SURFACE ————— /600X1200MM



PIETRA BEIGE



RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM



PIETRA BIANCO



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4


PIETRA BROWN

GLOSSY SURFACE

 /600X1200MM



PIETRA GREY



RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM



REGAL BEIGE



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

REGAL GREY

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

RIZZONI


GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

ROSSALIA

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

ROSSO ALLEGRO

GLOSSY SURFACE

————— /600X1200MM



SOFITA BEIGE




RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM



SONATA LIGHT




RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



SONATA



RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM



SPARKLE BEIGE



RENDOM - 4

GLOSSY SURFACE ————— /600X1200MM



SPARKLE GREY



RENDOM - 4


GLOSSY SURFACE _____ /600X1200MM



RENDOM - 3

STATUARIO ELEGANT

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

STATUARIO FANTASTICO

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

STATUARIO ICE

GLOSSY SURFACE _____ /600X1200MM




TAMPEST BRUNO



RENDOM - 4

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

TRAVERTINO GOLD

GLOSSY SURFACE ————— /600X1200MM



RENDOM - 4

VENNILA BROWN

GLOSSY SURFACE

 /600X1200MM



RENDOM - 4

VENNILA GREEN

GLOSSY SURFACE _____ /600X1200MM



RENDOM - 4

VICTORIAN BROWN

GLOSSY SURFACE

 /600X1200MM



RENDOM - 4

VICTORIAN LIGHT

GLOSSY SURFACE ————— /600X1200MM



RENDOM - 4

WILLIAM GREY

GLOSSY SURFACE _____ /600X1200MM

THE TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
----------------	--	----------------------------	--------------------------	-------------

REGULATORY PROPERTIS				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.1 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90 %	Min 4%	GLOSSOMETER

STRUCTURAL PROPERTIES				
Water absorption	< 0.50%	<0.05%	<0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/CC	DIN 51082

MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min.2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min 0.55	Min. 0.55	ISO-10545-5

SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min.4	Min.5	EN 101

THERMO HYGROMETRIC PROPERTIES				
Frost resistance	no damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	no damage	No damage	No damage	ISO-10545-19
Moisture expansion	Nil	Nil	Nil	ISO-10545-110
Thermal expansion (COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-18
Crazing resistance	As per mfg.	Min. 10 cycle	Min. 10 cycle	ISO-10545-111

CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14

SAFETY PROPERTIES				
Slip resistance	Asper mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb& Cd	Does not yield Pb& Cd	ISO-10545-15

PACKING DETAILS					
SR.NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600X1200 MM	8.5 MM	2	1.44 Sq/Mtr.