

2022/23



VERSATILE
EDITION

NYARA

CERAMICA

MOVED
BY
FEELINGS



1200X1200MM

Versatile Size

LIFE IS IN PERPETUAL MOTION

*We want to accompany you with
our products on this path of sensations*



Our desire is for you to come into your home and identify with it

We will have been able to open our doors to our local ones

and share unique moments that create this set of sensations

that permeate the rooms of our home

Let's start creating your home together



A HIGHLY VERSATILE PROCESS



*Unique natural looking surfaces with a design
sensitive of natural materials or rock
Industrially manufactured without harming
our precious natural environment*

*Shaped combines digital and traditional techniques that allows us to combine the
graphics with the relief to achieve volume on the surface and an extra soft texture
that reproduces the natural stone in all its senses*



VERSATILE



EDITION

TECHNICAL DESIGN





*The appeal of the surface is further enhanced by exclusive new
Finishes such as antique Zil which creates the sensation of lacquer
Flora in historic Italian buildings and Betty bones*

- ▼ FACADES
- ▼ HOSPITALS
- ▼ FOOD INDUSTRY
- ▼ SWIMMING POOLS, SPAS
& SPORTS CENTRES
- ▼ HOTELS AND RESTAURANTS
- ▼ RESIDENTIAL BUILDINGS
(INSIDE & OUTSIDE)
- ▼ CLINICS, SCHOOLS &
OFFICE BUILDINGS
- ▼ SHOPPING CENTRES &
SUPERMARKETS
- ▼ STATIONS & AIRPORTS



THE COLLECTION

*Premiere is a collection
worthy of the best things*






CARBON BEIGE




Finity

unveiled thousands of beauty

Versatile Edition



1200X1200MM, MATT SURFACE,
03 RANDOM, 9MM THICKNESS.



CARBON BEIGE




CARBON CEMENTO


For body
connected thousands of beauty



Versatile Edition



1200X1200MM, MATT SURFACE,
03 RANDOM, 9MM THICKNESS.



CARBON CEMENTO



CARBON GRIS





F. Hardy

unveiled thousands of beauty

Versatile Edition



1200X1200MM, MATT SURFACE,
03 RANDOM, 9MM THICKNESS.



CARBON GRIS


CARBON OLIVE




F. body

united thousands of beauty


Versatile Edition



1200X1200MM, MATT SURFACE,
03 RANDOM, 9MM THICKNESS.



CARBON OLIVE



FLACK MUD




Flack

connected thousands of beauty

Versatile Edition



1200X1200MM, MATT SURFACE,
03 RANDOM, 9MM THICKNESS.



FLACK MUD



FLAKE FUME



F. body

united thousands of beauty

Versatile Edition



1200X1200MM, MATT SURFACE,
03 RANDOM, 9MM THICKNESS.



FLAKE FUME




FLAKE GRIT




F. Hardy

connected thousands of beauty

Versatile Edition



1200X1200MM, MATT SURFACE,
03 RANDOM, 9MM THICKNESS.



FLAKE GRIT



FLAKE OFF WHITE



F. Hardy

unveiled thousands of beauty

Versatile Edition



1200X1200MM, MATT SURFACE,
03 RANDOM, 9MM THICKNESS.



FLAKE OFF WHITE

TECHNICAL specification

CHARACTERISTIC	STANDARD AS PER ISO - 13006/EN14411 GROUP B1a	MEAN VALUE OF 1200X1200MM	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5%	± 0.5%	ISO-10545-2.
Deviation in thickness	± 5.0%	± 5.0%	ISO-10545-2
Straightness in side	± 0.5%	± 0.5%	ISO-10545-2
Rectangularity	± 0.5%	± 0.5%	ISO-10545-2
Surface flatness	± 0.5%	± 0.5%	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-1&6
Glossiness	As per mfg	NOT APPLICABLE (MATT)	GLOSS METER
STRUCTURAL PROPERTIES			
Water absorption	<0.50%	<0.50 %	ISO-10545-3
Apparent density	>2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm2	Min. 35 N/mm2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1300 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion(CE)	Max. 9.0 x10-6	Max. 6.5 x 10-6	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	>0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield- Pb & Cd	ISO-10545-15
SIZE			
1200x1200 mm	9mm	2 pcs.	2.88 sq.mtr, 31 sq.ft
THICKNESS (Approx.)			
9mm			
PIECES/BOX			
2 pcs.			
AREA / BOX (Approx.)			
2.88 sq.mtr, 31 sq.ft			
WEIGHT / BOX (Approx.)			
60kg			

Thank you ~~for~~ your time